


標準スピーカーラインナップ！

防水から、特殊用途までカスタム対応可能！

FUJI P/N : 029T0602




Nominal Impedance $6\Omega \pm 15\%$
 Power Rating 0.4 W
 Maximum Rating 0.5 W
 Resonant Frequency $750\text{Hz} \pm 75\text{Hz}$
 S.P.L. 95dB



FUJI P/N : 029T0603



Nominal Impedance $6\Omega \pm 15\%$
 Power Rating 0.4 W
 Maximum Rating 0.5 W
 Resonant Frequency $750\text{Hz} \pm 75\text{Hz}$
 S.P.L. 95dB



FUJI P/N : 029T0802A





Nominal Impedance $8\Omega \pm 15\%$
 Power Rating 0.4 W
 Maximum Rating 0.5 W
 Resonant Frequency $750\text{Hz} \pm 75\text{Hz}$
 S.P.L. 93dB

FUJI P/N : 031P0401




Nominal Impedance $4\Omega \pm 15\%$
 Power Rating 2 W
 Maximum Rating 3 W
 Resonant Frequency $200\text{Hz} \pm 20\%\text{Hz}$
 S.P.L. 78dB



FUJI P/N : 033D1602




Nominal Impedance $6\Omega \pm 15\%$
 Power Rating 160mW
 Maximum Rating 320mW
 Resonant Frequency $750\text{Hz} \pm 110\text{Hz}$
 S.P.L 94.5dB



FUJI P/N : 036D0801B




Nominal Impedance $8\Omega \pm 15\%$
 Power Rating 1 W
 Maximum Rating 2 W
 Resonant Frequency $650\text{Hz} \pm 130\text{Hz}$
 S.P.L 85dB



FUJI P/N : 036D0803-1




Nominal Impedance $8\Omega \pm 15\%$
 Power Rating 1 W
 Maximum Rating 2 W
 Resonant Frequency $500\text{Hz} \pm 100\text{Hz}$
 S.P.L 91dB



FUJI P/N : 040F0401-5




Nominal Impedance $4\Omega \pm 15\%$
 Power Rating 5.5 W
 Maximum Rating 8 W
 Resonant Frequency $310\text{Hz} \pm 20\%\text{Hz}$
 S.P.L 82dB



FUJI P/N : 045P0806




Nominal Impedance $8\Omega \pm 15\%$
 Power Rating 5 W
 Maximum Rating 7 W
 Resonant Frequency $430\text{Hz} \pm 80\text{Hz}$
 S.P.L 88dB



FUJI P/N : 045P0808




Nominal Impedance $8\Omega \pm 15\%$
 Power Rating 3 W
 Maximum Rating 4 W
 Resonant Frequency $490\text{Hz} \pm 100\text{Hz}$
 S.P.L 96dB



FUJI P/N : 045P01202-02



Nominal Impedance $12\Omega \pm 15\%$
 Power Rating 1.5 W
 Maximum Rating 2 W
 Resonant Frequency $450\text{Hz} \pm 20\%\text{Hz}$
 S.P.L 90dB




FUJI P/N : 053W3801



Nominal Impedance $8\Omega \pm 15\%$
 Power Rating 11 W
 Maximum Rating 15 W
 Resonant Frequency $150\text{Hz} \pm 20\%\text{Hz}$
 S.P.L 78dB


・高出力 11Wで fo 150Hz しかも超薄型の厚さ10mmを実現しました。



FUJI P/N : 057P0802




Nominal Impedance $8\Omega \pm 15\%$
 Power Rating 1.5 W
 Maximum Rating 5 W
 Resonant Frequency $500\text{Hz} \pm 100\text{Hz}$
 S.P.L 92dB



FUJI P/N : 057P0803




Nominal Impedance $8\Omega \pm 15\%$
 Power Rating 1 W
 Maximum Rating 5 W
 Resonant Frequency $400\text{Hz} \pm 80\text{Hz}$
 S.P.L 92dB



FUJI P/N : 066F0601




Nominal Impedance $6\Omega \pm 15\%$
 Power Rating 5 W
 Maximum Rating 8 W
 Resonant Frequency $140\text{Hz} \pm 28\text{Hz}$
 S.P.L 88dB



FUJI P/N : 066P0801




Nominal Impedance $8\Omega \pm 15\%$
 Power Rating 1 W
 Maximum Rating 2 W
 Resonant Frequency $280\text{Hz} \pm 56\text{Hz}$
 S.P.L 86dB



FUJI P/N : 066P0804




Nominal Impedance $8\Omega \pm 15\%$
 Power Rating 3 W
 Maximum Rating 5 W
 Resonant Frequency $380\text{Hz} \pm 80\text{Hz}$
 S.P.L 96dB



FUJI P/N : 077P0401



Nominal Impedance $4\Omega \pm 15\%$
 Power Rating 5 W
 Maximum Rating 7 W
 Resonant Frequency $350\text{Hz} \pm 70\text{Hz}$
 S.P.L 96dB



FUJI P/N : 4050P0801





Nominal Impedance $8\Omega \pm 15\%$
 Power Rating 5 W
 Maximum Rating 7 W
 Resonant Frequency $450\text{Hz} \pm 90\text{Hz}$
 S.P.L 86dB



FUJI P/N : 4050P0802



Nominal Impedance $8\Omega \pm 15\%$
 Power Rating 5 W
 Maximum Rating 7 W
 Resonant Frequency $350\text{Hz} \pm 70\text{Hz}$
 S.P.L 86dB



FUJI P/N : 10015F31601



Nominal Impedance	16Ω ± 15%
Power Rating	5 W
Maximum Rating	7 W
Resonant Frequency	350Hz ± 20%Hz
S.P.L	78dB

- 幅15mm 出力3W このタイプでは業界で最も小さい幅です。

